


SIDING PREPARATION TYPICAL DETAIL
SCALE: 3/4"=1"



DETAIL 1
2 REQD.

NOTE:
LEAD PANELS SHALL BE CONSTRUCTED FROM SINGLE UNPIERCED SHEET, FREE OF OXIDE INCLUSIONS, FISSURES, VOIDS, AND ALL OTHER DETRIMENTAL DEFECTS. MATERIAL SHALL BE LEAD GRADE "C" TO COMPLY WITH FEDERAL SPECIFICATION QQ201. HUTCH SHALL MEET ALL APPLICABLE FEDERAL, STATE AND LOCAL RADIATION GUIDE LINES: NBS HANDBOOK 111 AND 114, ANS N43.2 AND DOE ORDER 5480.11.
* DIMENSION SHOWN IS FOR REFERENCE ONLY. ACTUAL DIMENSION DETERMINED BY FIELD SURVEY.

ITEM	DESCRIPTION	APPROVAL OR DESCRIPTION	MATERIAL / SPEC	QTY
PARTS LIST				
A2169601		ARGONNE NATIONAL LABORATORY		
ADVANCED PHOTON SOURCE				
H0 BM F0E ROOF # 15 1/4" x 2.00M x 1.00M				
01	CHANGE TO SIZE-D, MAKE ROOM FOR UNISTRU...	BY UNISTRU...		