



NOTE:  
LEAD PANEL SHALL BE CONSTRUCTED FROM SINGLE UNPERFORATED SHEET FREE OF OXIDE INCLUSIONS, FISSURES, VOIDS AND ALL OTHER DETRIMENTAL DEFECTS. MATERIAL SHALL BE LEAD GRADE "C" TO COMPLY WITH FEDERAL SPECIFICATION Q22.29. HUTCH SHALL MEET ALL APPLICABLE FEDERAL, STATE AND LOCAL RADIATION GUIDE LINES: NBS HANDBOOK 111 AND 114, IAEA NS-R-1 AND DOE ORDER 5405.11.

REV	DESCRIPTION	DATE	BY	CHECKED	APPROVED
1	ISSUED FOR CONSTRUCTION	5/3/95	M. PATAKY		
2	REVISED TO REFLECT CHANGES TO PERMITS	5/3/95	SANCHEZPATAK		
3	REVISED TO REFLECT CHANGES TO PERMITS	5/3/95	SANCHEZPATAK		

  

PROJECT	ARGONNE NATIONAL LABORATORY
LOCATION	ADVANCED PHOTON SOURCE
DESCRIPTION	HO MBES ROOF # 9
SCALE	1/4" x 3.50M x .50M
DWG. NO.	P41050903-960609-00