



SIDING PREPARATION TYPICAL DETAIL

NOTE:
LEAD PANELS SHALL BE CONSTRUCTED FROM SINGLE UNPIERCED SHEET, FREE OF OXIDE INCLUSIONS, FISSURES, VOIDS AND ALL OTHER DETRIMENTAL DEFECTS. MATERIAL SHALL BE LEAD GRADE 'C' TO COMPLY WITH FEDERAL SPECIFICATION-QL201. MUTCH SHALL MEET ALL APPLICABLE FEDERAL, STATE AND LOCAL RADIATION GUIDE LINES. NBS HANDBOOK 111 AND 114, AND N43.2 AND DOE ORDER 5480.11.

ITEM	QUANTITY	UNIT	DESCRIPTION	MATERIAL / SPEC	REV
PARTS LIST					
ARGONNE NATIONAL LABORATORY ADVANCED PHOTON SOURCE HO LABYRINTH BLANK 3/8" LEAD		PROJECT NO: A2122600 DATE: 11/10/04 CHECKED BY: corcuera DATE: 11/10/04 DRAWN BY: SANCHEZ/CORCUERA DATE: 11/10/04			
DATE: 3/16=1 SHEET: 1 of 1		SCALE: 3/16=1 SHEET: 1 of 1			

REV	DESCRIPTION	BY	DATE