


(D) PLOT SCALE: 1=1 DWG. SCALE: 1 A1395702



NOTES:
1. ALL DIMENSIONS SHOWN IN [] ARE MM.

- SPECS:**
- LOAD CAPACITY: 500LB.
 - STRAIGHTNESS OF TRAJECTORY: .002"/FT.
 - ADJUSTMENT: MECHANICAL KNOB
 - VENDOR TO ADD ALL HOLES TO CARRIAGE AND BASE.
 - MILWAUKEE SLIDE & SPINDLE TO REMOVE CARRIAGE FROM BASE WHEN DRILLING C'BORE AND CLEARANCE HOLES IN BASE.
 - REMOVE HEAVY OIL FILMS FROM OUTER SURFACES.

SOURCE:
MILWAUKEE SLIDE AND SPINDLE
327 EAST BROWN ST.
MILWAUKEE WI 53212
PHONE: 1-800-852-6331
(414)-263-5000
FAX: (414)-263-6100
PART NUMBER: R6-6-L(V)-GL-KK-HWNT-2T
(WITH (B) HOLES ADDED AS SHOWN)

REV	DATE	DESCRIPTION	BY	CHKD	DATE
02		MOVED FROM PROTOTYPE TO PRODUCTION	MJM		
01		WAS 32 EAST BROWN ST.	JB		
00					

ITEM	DISP/PART NUMBER	QUANTITY	NOMENCLATURE OR DESCRIPTION	MATERIAL / SPEC	QTY
PARTS LIST					
ARGONNE NATIONAL LABORATORY					
ADVANCED PHOTON SOURCE					
T1 STANDARD KINEMATIC MOUNT					
PATTERN 2					
SEE DRAWING					
4105090501-810004-02					